Wood Science Index . . . Vol. 3, 1970-71

Articles are indexed according to the FPRS Subject-Matter Divisions and by author. To find an article on a given subject, study the areas covered under the most appropriate Division heading. Reprint order number and cost are listed. Reprints are available of all articles listed. The Author Index, under senior author listing, contains titles, reprint order number, and the cost per single copy. Check or money order must accompany all orders. Special bulk rates are available.

FPRS Subject Index

ANATOMY AND FUNDAMENTAL PROPERTIES

Application of Dissociation to Electrical Conduction in Wood, A. Venkateswaran, 3:183 (No. 4445—$1.50)

Bark Structure of the Southern Pines, E. T. Howard, 3:134 (No. 4463—$1.50)

Effect of Irrigation on Wood Formed at Various Heights in Ponderosa Pine, J. P. Howe, 2:126 (No. 4395—$0.60)

Fine Structure of Active, Dormant and Aging Cambial Cells in *Tilia americana*, A. J. Mia, 1:34 (No. 4406—$1.80)

Influence of Gelatinous Fibers on the Shrinkage of Silver Maple, D. G. Arganbright, D. W. Bensend, and F. G. Manwiller, 2:83 (No. 4382—$1.40)

Infrared Emissivity Values of Ponderosa Pine, J. S. Englund, D. P. Lowery, and E. S. Kotok, 2:102 (No. 4405—$0.80)

Mechanical and Related Properties of Tornillo (*Cedrelinga catenaeformis*), A. C. Barefoot and J. D. Traywick, 4:245 (No. 4487—$1.50)

Moduli of Rigidity and Torsional Strength of Scarlet Oak Related to Moisture Content, R. C. Tang, S. F. Adams, and R. E. Mark, 4:238 (No. 4480—$1.40)

pH Measurements on Northeastern Woods, W. S. McNamara, C. E. Sullivan, and J. C. Higgins, 1:48 (No. 4323—$0.80)

Physiology of Wood Formation in Conifers, C. L. Brown, 1:8 (No. 4338—$3.00)

Piezoelectric Measurements in Wood, J. A. Smetana and P. W. Kelso, 3:161 (No. 4398—$1.50)

Quartz Ultra-Microbalance for Weighing Single Tracheids, C. B. R. Sastry and R. W. Wellwood, 3:179 (TN-204—$0.80)

Relationship Between Strength in Tension Parallel to the Grain and Latewood Tracheid Morphology in Normal and Irradiated Shortleaf Pine, J. R. Hamilton and A. Clark, III, 1:59 (No. 4263—$0.60)

Rupture Characteristics of Spring- and Latewood Under Stress Relaxation, L. Bach, 1:31 (TN-186—$0.60)

Specific Heat of Some Ovendry Chemical Constituents of Loblolly Pine Wood, C. W. McMillin, 1:52 (No. 4354—$0.40)

Thickness and Specific Gravity of Inner and Outer Bark of Red and Yellow-Poplar, C. B. Koch, 4:214 (No. 4434—$0.80)

Variation in Bark Specific Gravity of Selected Appalachian Hardwoods, C. B. Koch, 1:43 (No. 4371—$1.00)

CHEMICAL CONVERSION

Qualitative Seasonal Changes in the Free Amino Acids and Carbohydrates of Loblolly Pine Inner Bark, E. W. Clark and C. L. Mills, 2:90 (No. 4438—$0.80)

GLUES AND GLUING

Thermal Studies on Formaldehyde Glues and Cellobiose-Formaldehyde Glue Mixtures, M. V. Ramiah and G. E. Troughton, 2:120 (No. 4407—$1.20)

Wood Science Index . . . Vol. 3, 1970-71

Articles are indexed according to the FPRS Subject-Matter Divisions and by author. To find an article on a given subject, study the areas covered under the most appropriate Division heading. Reprint order number and cost are listed. Reprints are available of all articles listed. The Author Index, under senior author listing, contains titles, reprint order number, and the cost per single copy. Check or money order must accompany all orders. Special bulk rates are available.

FPRS Subject Index

ANATOMY AND FUNDAMENTAL PROPERTIES

Application of Dissociation to Electrical Conduction in Wood, A. Venkateswaran, 3:183 (No. 4445—$1.50)

Bark Structure of the Southern Pines, E. T. Howard, 3:134 (No. 4463—$1.50)

Effect of Irrigation on Wood Formed at Various Heights in Ponderosa Pine, J. P. Howe, 2:126 (No. 4395—$0.60)

Fine Structure of Active, Dormant and Aging Cambial Cells in *Tilia americana*, A. J. Mia, 1:34 (No. 4406—$1.80)

Influence of Gelatinous Fibers on the Shrinkage of Silver Maple, D. G. Arganbright, D. W. Bensend, and F. G. Manwiller, 2:83 (No. 4382—$1.40)

Infrared Emissivity Values of Ponderosa Pine, J. S. Englund, D. P. Lowery, and E. S. Kotok, 2:102 (No. 4405—$0.80)

Mechanical and Related Properties of Tornillo (*Cedrelinga catenaeformis*), A. C. Barefoot and J. D. Traywick, 4:245 (No. 4487—$1.50)

Moduli of Rigidity and Torsional Strength of Scarlet Oak Related to Moisture Content, R. C. Tang, S. F. Adams, and R. E. Mark, 4:238 (No. 4480—$1.40)

pH Measurements on Northeastern Woods, W. S. McNamara, C. E. Sullivan, and J. C. Higgins, 1:48 (No. 4323—$0.80)

Physiology of Wood Formation in Conifers, C. L. Brown, 1:8 (No. 4338—$3.00)

Piezoelectric Measurements in Wood, J. A. Smetana and P. W. Kelso, 3:161 (No. 4398—$1.50)

Quartz Ultra-Microbalance for Weighing Single Tracheids, C. B. R. Sastry and R. W. Wellwood, 3:179 (TN-204—$0.80)

Relationship Between Strength in Tension Parallel to the Grain and Latewood Tracheid Morphology in Normal and Irradiated Shortleaf Pine, J. R. Hamilton and A. Clark, III, 1:59 (No. 4263—$0.60)

Rupture Characteristics of Spring- and Latewood Under Stress Relaxation, L. Bach, 1:31 (TN-186—$0.60)

Specific Heat of Some Ovendry Chemical Constituents of Loblolly Pine Wood, C. W. McMillin, 1:52 (No. 4354—$0.40)

Thickness and Specific Gravity of Inner and Outer Bark of Red and Yellow-Poplar, C. B. Koch, 4:214 (No. 4434—$0.80)

Variation in Bark Specific Gravity of Selected Appalachian Hardwoods, C. B. Koch, 1:43 (No. 4371—$1.00)

CHEMICAL CONVERSION

Qualitative Seasonal Changes in the Free Amino Acids and Carbohydrates of Loblolly Pine Inner Bark, E. W. Clark and C. L. Mills, 2:90 (No. 4438—$0.80)

GLUES AND GLUING

Thermal Studies on Formaldehyde Glues and Cellobiose-Formaldehyde Glue Mixtures, M. V. Ramiah and G. E. Troughton, 2:120 (No. 4407—$1.20)

MECHANICAL CONVERSION

Chip Formation When Orthogonally Cutting Wood Against the Grain, H. A. Stewart, 4:193 (No. 4307—$1.50)

Factorial Experiment in Transverse-Plane (90/90) Cutting of Wood—Part I. Cutting Force and Edge Wear, W. M. McKenzie and R. L. Cowling, 4:204 (No. 4391—$1.50)

Friction Coefficient of Spruce Pine on Steel — A Note on Lubricants, C. W. McMillin, T. J. Lemoine, and F. G. Manwiller, 2:100 (TN-190—$0.40)

Prediction of Veneer Lathe Settings, L. C. Palka, 2:65 (No. 4333—$3.60)

TREATMENTS AND COATINGS

Pressure Impregnation of Refractory Woods, J. F. Siau, 1:1 (No. 4345—$1.40)

Reduction in Crushing Strength and Weight Associated with Decay by Rot Fungi, E. R. Toole, 3:172 (No. 4458—$1.40)

X-Ray Diffraction Analysis for Residual Cellulose in Decayed Wood, B. E. Cutter and W. K. Murphey, 1:54 (No. 4334—$1.00)

WOOD DRYING

Axial Gas Permeability of Douglas-Fir Microsections Dried by Various Techniques, G. Bramhall and J. W. Wilson, 4:223 (No. 4468—$1.50)

Influence of Steaming on Water Vapor Diffusion in Hardwoods, J. F. G. Mackay, 3:156 (No. 4430—$1.00)

Laboratory and Theoretical Comparison of Desorption in Ponderosa Pine Dowels, M. A. Fosberg, R. W. Mutch, and H. E. Anderson, 2:94 (No. 4376—$1.20)

Measurement of Vapor Pressure Generated in Wood During Drying, D. P. Lowery, 4:218 (No. 4452—$0.40)

Migration of Fatty Acids to White Spruce Veneer Surface During Drying: Relevance to Theories of Inactivation, G. E. Troughton and S.-Z. Chow, 3:129 (No. 4472—$1.00)

Moisture Flux Determinations Influenced by Air Circulation Inside Diffusion Cells, J. F. G. Mackay, 4:220 (No. 4457—$0.60)

Permeability Variation Within a Cottonwood Tree, C. P. Isaacs, E. T. Choong, and P. J. Fogg, 4:231 (No. 4471—$1.40)

Recovery of Excessive Shrinkage in Wood, H. Kubler, 1:62 (TN-191—$0.60)

WOOD ENGINEERING

Creep of Wood-Metal Tension Joints, A. Sliker, 1:23 (No. 4373—$1.60)

Design Aspects of Layered Wood Columns with Interlayer Slip, H. Y. Rassam, 3:149 (No. 4363—$1.40)

Human Response to Vibration of Wood-Joist Floor Systems, A. Polensek, 2:111 (No. 4375—$1.80)

Structural Dynamics of Plywood Shear Walls, K. Medearis, 2:106 (No. 4364—$1.00)

FPRS Author Index

A

ADAMS, S. F., *see* TANG, R. C.

ANDERSON, H. E., *see* FOSBERG, M. A.

ARGANBRIGHT, D. G., D. W. BENSEND, and F. G. MANWILLER, Influence of Gelatinous Fibers on the Shrinkage of Silver Maple, 2:83 (No. 4382—$1.40)

B

BACH, L., Rupture Characteristics of Spring- and Latewood Under Stress Relaxation, 1:31 (TN-186—$0.60)

BAREFOOT, A. C., and J. D. TRAYWICK, Mechanical and Related Properties of Tornillo (*Cedrelinga catenaeformis*), 4:245 (No. 4487—$1.50)

BENSEND, D. W., *see* ARGANBRIGHT, D. G.

BRAMHALL, G., and J. W. WILSON, Axial Gas Permeability of Douglas-Fir Microsections Dried by Various Techniques, 4:223 (No. 4468—$1.50)

BROWN, C. L., Physiology of Wood Formation in Conifers, 1:8 (No. 4338—$3.00)

C

CHOONG, E. T., *see* ISAACS, C. P.

CHOW, S.-Z., *see* TROUGHTON, G. E.

CLARK, A., III, *see* HAMILTON, J. R.

CLARK, E. W., and C. L. MILLS, Qualitative Seasonal Changes in the Free Amino Acids and Carbohydrates of Loblolly Pine Inner Bark, 2:90 (No. 4438—$0.80)

COWLING, R. L., *see* MCKENZIE, W. M.

CUTTER, B. E., and W. K. MURPHEY, An X-Ray Diffraction Analysis for Residual Cellulose in Decayed Wood, 1:54 (No. 4334—$1.00)

E

ENGLUND, J. S., D. P. LOWERY, E. S. KOTOK, Infrared Emissivity Values of Ponderosa Pine, 2:102 (No. 4405—$0.80)

F

FOGG, P. J., *see* ISAACS, C. P.

FOSBERG, M. A., R. W. MUTCH, and H. E. ANDERSON, Laboratory and Theoretical Comparison of Desorption in Ponderosa Pine Dowels, 2:94 (No. 4376—$1.20)

H

HAMILTON, J. R., and A. CLARK, III, The Relationship Between Strength in Tension Parallel to the Grain and Latewood Tracheid Morphology in Normal and Irradiated Shortleaf Pine, 1:59 (No. 4263—$0.60)

HIGGINS, J. C., *see* MCNAMARA, W. S.

HOWARD, E. T., Bark Structure of the Southern Pines, 3:134 (No. 4463—$1.50)

HOWE, J. P., Effect of Irrigation on Wood Formed at Various Heights in Ponderosa Pine, 2:126 (No. 4395—$0.60)

I

ISAACS, C.P., E. T. CHOONG, and P. J. FOGG, Permeability Variation Within a Cottonwood Tree, 4:231 (No. 4471—$1.40)

K

KELSO, P. W., *see* SMETANA, J. A.

KOCH, C. B., Thickness and Specific Gravity of Inner and Outer Bark of Red and Yellow-Poplar, 4:214 (No. 4434—$0.80)

KOCH, C. B., Variation in Bark Specific Gravity of Selected Appalachian Hardwoods, 1:43 (No. 4371—$1.00)

KOTOK, E. S., *see* ENGLUND, J. S.

KUBLER, H., Recovery of Excessive Shrinkage in Wood, 1:62 (TN-191—$0.60)

L

LEMOINE, T. J., *see* MCMILLIN, C. W.

LOWERY, D. P., Measurement of Vapor Pressure Generated in Wood During Drying, 4:218 (No. 4452—$0.40)

LOWERY, D. P., *see* ENGLUND, J. S.

M

MACKAY, J. F. G., Influence of Steaming on Water Vapor Diffusion in Hardwoods, 3:156 (No. 4430—$1.00)

MACKAY, J. F. G., Moisture Flux Determinations Influenced by Air Circulation Inside Diffusion Cells, 4:220 (No. 4457—$0.60)

MANWILLER, F. G., *see* ARGANBRIGHT, D. G.

MANWILLER, F. G., *see* MCMILLIN, C. W.

MARK, R. E., *see* TANG, R. C.

MCKENZIE, W. M., and R. L. COWLING, A Factorial Experiment in Transverse-Plane (90/90) Cutting of Wood—Part I. Cutting Force and Edge Wear, 4:204 (No. 4391—$1.50)

MCMILLIN, C. W., Specific Heat of Some Ovendry Chemical Constituents of Loblolly Pine Wood, 1:52 (No. 4354—$0.40)

MCMILLIN, C. W., T. J. LEMOINE, and F. G. MANWILLER, Friction Coefficient of Spruce Pine on Steel — A Note on Lubricants, 2:100 (TN-190—$0.40)

MCNAMARA, W. S., C. E. SULLIVAN, and J. C. HIGGINS, pH Measurements on Northeastern Woods, 1:48 (No. 4323—$0.80)

MEDEARIS, K., Structural Dynamics of Plywood Shear Walls, 2:106 (No. 4364—$1.00)

MIA, A. J., Fine Structure of Active, Dormant, and Aging Cambial Cells in *Tilia americana*, 1:34 (No. 4406—$1.80)

MILLS, C. L., *see* CLARK, E. W.

MURPHEY, W. K., *see* CUTTER, B. E.

MUTCH, R. W., *see* FOSBERG, M. A.

P

PALKA, L. C., Prediction of Veneer Lathe Settings, 2:65 (No. 4333—$3.60)

POLENSEK, A., Human Response to Vibration of Wood-Joist Floor Systems, 2:111 (No. 4375—$1.80)

R

RAMIAH, M. V., and G. E. TROUGHTON, Thermal Studies on Formaldehyde Glues and Cellobiose-Formaldehyde Glue Mixtures, 2:120 (No. 4407—$1.20)

RASSAM, H. Y., Design Aspects of Layered Wood Columns with Interlayer Slip, 3:149 (No. 4363—$1.40)

S

SASTRY, C. B. R., and R. W. WELLWOOD, A Quartz Ultra-Microbalance for Weighing Single Tracheids, 3:179 (TN-204—$0.80)

SIAU, J. F., Pressure Impregnation of Refractory Woods, 1:1 (No. 4345—$1.40)

SLIKER, A., Creep of Wood-Metal Tension Joints, 1:23 (No. 4373—$1.60)

SMETANA, J. A., and P. W. KELSO, Piezoelectric Measurements in Wood, 3:161 (No. 4398—$1.50)

STEWART, H. A., Chip Formation When Orthogonally Cutting Wood Against the Grain, 4:193 (No. 4307—$1.50)

SULLIVAN, C. E., *see* MCNAMARA, W. S.

T

TANG, R. C., S. F. ADAMS, and R. E. MARK, Moduli of Rigidity and Torsional Strength of Scarlet Oak Related to Moisture Content, 4:238 (No. 4480—$1.40)

TOOLE, E. R., Reduction in Crushing Strength and Weight Associated with Decay by Rot Fungi, 3:172 (No. 4458—$1.40)

TRAYWICK, J. D., *see* BAREFOOT, A. C.

TROUGHTON, G. E., and S.-Z. CHOW, Migration of Fatty Acids to White Spruce Veneer Surface During Drying: Relevance to Theories of Inactivation, 3:129 (No. 4472—$1.00)

TROUGHTON, G. E., *see* RAMIAH, M. V.

V

VENKATESWARAN, A., Application of Dissociation to Electrical Conduction in Wood, 3:183 (No. 4445—$1.50)

W

WELLWOOD, R. W., *see* SASTRY, C. B. R.

WILSON, J. W., *see* BRAMHALL, G.